


**Airgas**<sup>®</sup>  
an Air Liquide company

⋮ **JOBSITE  
SKID**

Efficiency in  
motion



# Quick, easy install



1. Delivers completely assembled




2. Certified by Airgas



3. Ready for first fill by Airgas

The jobsite skid from Airgas is ready to use within hours of delivery at your site!



# Jobsite Skid

Enjoy a more efficient supply of welding gases for any size project

## Safety

- Lift full or empty with crane or fork truck onsite
- Decrease cylinder and bundle handling on your busy jobsite
- Increase reliability and safety with durable, industrial design
- Improve safety when Airgas manages your entire gas supply

## Efficiency

- Reduce costs associated with cylinder and pack handling
- Eliminate residual product loss
- Significantly minimize cylinder swap-out costs
- Improve productivity with service for up to 50 welders simultaneously

## Performance

- Blend stable and accurate mixed gases that meet AWS A5.32 (ISO 14175) requirements at any flow rate
- Fixed composition means no on-site calibration or analyzer are required
- Certified ARCAL™ premium welding gas blends with Dynamic On-site Mixer

## Flexibility

- Operate in any temperature ranging from -4°F to 120°F, right on your jobsite
- Conveniently fill either on-site, via transfill or at the fill plant
- No power source needed to operate
- Quick install and easy to transport throughout the jobsite

## Service

- Maintained by Airgas field technicians
- Supported by our network of gas and welding experts

NOTE: Certain features apply to only either the single or dual skid and may require additional optional components. Ask your Airgas representative for additional details.




## High-output agile gas delivery system designed for mobility

- Integrated and compact storage and supply system for welding and cutting gases on construction and other jobsites
- Standard quick-connect gas outputs
- Includes proprietary Airgas Dynamic On-site Mixer
- GPS tracking and telemetry monitoring system for automatic refills

## Gas and specifications

- All gas options come from one single unit simultaneously with no modifications needed
  - Pure: Ar (ARCAL™ Prime available)
  - Mixes: Ar and CO<sub>2</sub> (ARCAL Flux 75/25, ARCAL Chrome 98/2 and ARCAL 90/10 Tech available)
- Gas consumption from 10,000–25,000 SCF/month per unit

### Approximate tank capacity equivalent for output



Jobsite Skid			Single (Pure)	Dual (Mixtures)*	
			450L Ar	450L CO <sub>2</sub>	1000L Ar
Standard gas outputs			Argon	Argon, 75/25, 90/10, and 98/2	
Standard delivery pressure adjustability		psig	50–135	50–135	50–135
Storage capacity	Ar	SCF	10,812	–	29,400
	CO <sub>2</sub>	SCF	–	8,200	–
Gas delivery rate	Ar	SCFH	575	–	960
	CO <sub>2</sub>	SCFH	–	192	–
Dimensions	L x W x H	inches	41.5 x 41 x 89.25		83 x 58 x 97
Weight		lbs.	1,250/3,500		5,500/ 10,000

\*SAFETY NOTE: Never move a full dual unit over a public roadway per safety and DOT specifications.



Benefit from the proven expertise of  
Airgas bulk and MicroBulk logistics

### Convenient and efficient

- Reliable and flexible bulk and MicroBulk gas supply provided by world-class logistics and backed by one of the industry's largest truck fleet and footprint in the U.S.
- Delivered, connected and ready for the first fill by Airgas, all on the same day
- MicroBulk refills on-site minimize production interruptions
- Avoid gas run outs with automatic reorder via telemetry

Contact us  
855.625.5285 | [info@airgas.com](mailto:info@airgas.com)  
Airgas.com

MCM-499 | ©2022 Airgas, Inc.  
Printed in the U.S.A.

**Airgas**<sup>®</sup>  
an Air Liquide company