

20200



BIN# 183

Effective: 01/01/98

Material Safety Data Sheet

SECTION - 1: [Product and Company Identification] filename "Msd.Mw-ccsoc"

- Product Items' Names:

CC400				

- Chemical Name: Polyester (scrim cover) [CAS # 25038-59-9] (< 3 %)
Diatomaceous earth ** [CAS # 7831-86-9] (> 95 %)
** Must use attached Eagle-Pitcher MSDS for these details
- Chemical Family: Diatomaceous earth + Polyolefin / Hydrocarbon
- Product Description: Granular sorbent in a particulate form contained within a tubular polyester cloth-like scrim. Color is predominately blue. Trace other color is possible. Odor may be of a mild inorganic. Logo printing may be present on product.
- Contact Address: Sorbent Products Company, 645 Howard Avenue, Somerset, NJ 08873
- Emergency Telephone: 800-333-7672 (24-Hours)

SECTION - 2: [Hazardous Ingredients & Exposure Limits]

- See attached MSDS for listed hazardous ingredients, explanations, and limits.
- This product is defined as an "Article" and does not require an MSDS as defined in 29 CFR 1910.1200 of the U.S. Occupational Safety & Health Standard. MSDS provided only by request of customer.

SECTION - 3: [Typical Physical & Chemical Characteristics]

Specific Gravity	2.2
Melting Point	450 degrees F (fabric)
Freezing Point	not applicable
Boiling Point	not applicable
pH	7

% Volatiles	0
Solubility in Water	< 2 %
Form	solid
Density	2.0-2.5 g/cc
Evaporation Rate	0

SECTION - 4: [Fire, Explosion, & Reactivity Data]

- Flash Point: > 800-deg. F (estimated-for cover only); particulate - not applicable.
- Flammability Limits: not flammable
- Auto-Ignition Temp.: > 800-deg. F (estimated-for cover only); particulate - not applicable.
- Incompatibility with: strong acids, strong bases, aggressive liquids
- Stability Considerations:
 - Highly stable
 - Temperatures over 480-deg. F may cause degradation
- Conditions to avoid: strong acids, strong bases, aggressive liquids

- Fire Fighting:
 - Be cautious of hot melted polyester covering fabric.
 - Use water spray to protect personnel.
 - Isolate product from fire.
 - Extinguish fire with water spray.
 - Respiratory & eye protection is required for fire fighting personnel.
 - Decomposition Products Under Fire Conditions:
 - ◊ Minor carbon monoxide & irritating smoke.

SECTION - 5: [Health Information & Protection]

- Eye Protection: Product is inert; none required.
- Skin Contact: Product is inert; none required, except if melted use gloves.
For any hot melted product, immerse in or flush affected area with water to dissipate the heat, then obtain medical attention for burn care.
- Inhalation: Not applicable.
- Ingestion: First aid not normally required.
- Exposure Limits: None
- Threshold Limits: None
- Personal Protection: None (ambient conditions)
- NPCA-HMIS Rating:

⇒ Health	0
⇒ Flammability	1
⇒ Reactivity	0
- NFPA-704 Rating:

⇒ Health	0
⇒ Flammability	1
⇒ Reactivity	0

SECTION - 6: [Spill/Leak Control & Special Precautions]

- Land: Recover material & place in suitable container for reuse, or for disposal in conformance with local regulations.
- Water: Recover material & place in suitable container for reuse, or for disposal in conformance with local regulations.
- Storage & Handling: No precautions noted - see local regulation if needed.
 - ⇒ Storage Temperature: Ambient
 - ⇒ Storage Pressure: Atmospheric

SECTION - 7: [Regulatory Information]

- Department of Transportation (DOT):
 - DOT Hazard Class: Not Regulated
 - DOT Identification No.: None
- TSCA: This product is listed in the TSCA Inventory
- CERCLA: This product is not subject to reporting.
- SARA: (Title-III) Not Hazardous; No Reportable Ingredients

SECTION - 8: [Disclaimer]

- While Sorbent Products Company believes that the data set forth in this sheet is accurate, Sorbent Products Company makes no warranty with respect thereto, and expressly disclaims all liability for reliance thereon. Please consider the assistance of individuals trained in proper evaluation for health-related data.