

For Emergency Contact: Chem-tel 1-800-255-3924

I - Identification

Product Name: Weld Kleen® 350®
Product Code: 007089, 007090, 007091, 007092
Material Description: Non - Hazardous Blend
Revision Date: January 01, 2000
Chemical Family: Not Applicable

II - Product and Component Data

Components	Cas Registry No.	%	ACGIH TLV - TWA
1. Dihydrogen Oxide (water)	007732 - 18 - 5	>85%	None Known
2. Modified Fatty Alkanolamide	None	<15%	None Known
3. Tetra Ethylene Diamine Tetracetate	64 - 02 - 8	Trace	None Known
4. Eloacid Brilliant Scarlet 3R	2611 - 82 - 7	Trace	None Known

III - Physical Data

Appearance and Color: Red, no appreciable odor
Specific Gravity: 1.0
Boiling Point: 212(F)
Vapor Density In Air: 17.3 GM-3 (water)
Vapor Pressure: 17.5 mm Hg @ 20(C) (water)
% Volatile By Volume: Not Applicable
Evaporation Rate: 1 mg/1 (water)
Solubility: 100% in water @ 25(C)
Melting Point: Not Applicable
% Solid: Not Applicable
Material IS: Liquid

IV - Reactivity Data

Stability: Stable
Incompatibility: Oxidizers, alkalies, acids
Hazardous Decomposition Products: None
Hazardous Polymerization: Will not occur
Conditions To Avoid: None

V - Fire And Explosion Hazard Data

Flash Point (Method Used): Not Applicable
Flammable Limits In Air: Not Applicable
Extinguishing Agents: Water, foam, dry chemical carbon dioxide (CO2)
Unusual Fire And Explosion Hazards: None Known

VI - Toxicity And First Aid

Medical Conditions Aggravated By Exposure: None Known

Acute Toxicity:

Inhalation: None Known

Skin: None Known

Eyes: Eye irritant (modified fatty alkanolamide)

Ingestion: May cause nausea (modified fatty alkanolamide)

Chronic Toxicity: None Known

First Aid:

Inhalation: Not Applicable

Skin: Flush with large quantities of water.

Eye: Flush eyes immediately with water.

Ingestion: Give large quantities of water.

Note To Physician: None

VII - Personal Protection And Controls

Respiratory Protection: No special requirements.

Ventilation: No special requirements.

Skin Protection: Protective gloves, apron

Eye Protection: Wear safety glasses or splash goggles.

Other Control Measures: Safety shower and eyewash station should be available.

VIII - Special Precautions Additional Information

None

IX - Spill, Leak And Disposal Practices

Steps To Be Taken In Case Material Is Released Or Spilled: Absorb with an inert ingredient such as sand, earth or vermiculite and dispose of in accordance with federal, state and local regulations.

Waste Disposal Method: Consult with federal, state or local authorities for approved procedures.

X - NFPA Rating

0 = Least 1 = Slight 2 = Moderate 3 = High 4 = Extreme

--	--	--	--	--

Health	Fire	Reactivity	Components
No Rating			Dihydrogen oxide (water)
1	0	0	Modified fatty alkanolamide
No Rating			Tetra ethylene diamine tetracetate
1	1	0	Eloacid brilliant scarlet 3R

This sheet was compiled from the latest available information and reliable sources. Procedures are based on accepted usage. They are not necessarily all-inclusive and may vary in every circumstance. Weld-Aid provides no warranties either expressed or implied and assumes no responsibility for the accuracy or completeness of the data herein.

[Home Page](#)

[Menu](#)

[Contact Us](#)

[MSDS Menu](#)