# **SAFETY DATA SHEET**



Nonflammable Gas Mixture: Helium / Hydrogen / Hydrogen Chloride / Neon / Xenon

## Section 1. Identification

GHS product identifier	: Nonflammable Gas Mixture: Helium / Hydrogen / Hydrogen Chloride / Neon / Xenon
Other means of identification	: Not available.
Product use	: Synthetic/Analytical chemistry.
SDS #	: 008509
Supplier's details	: Airgas USA, LLC and its affiliates 259 North Radnor-Chester Road Suite 100 Radnor, PA 19087-5283 1-610-687-5253
Emergency telephone number (with hours of	: 1-866-734-3438

operation)

# Section 2. Hazards identification

OSHA/HCS status	: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	: GASES UNDER PRESSURE - Compressed gas
GHS label elements	
Hazard pictograms	
Signal word	: Warning
Hazard statements	: Contains gas under pressure; may explode if heated. May displace oxygen and cause rapid suffocation.
Precautionary statements	
General	: Read and follow all Safety Data Sheets (SDS'S) before use. Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand. Close valve after each use and when empty. Use equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use a back flow preventative device in the piping. Use only equipment of compatible materials of construction.
Prevention	: Use and store only outdoors or in a well ventilated place.
Response	: Not applicable.
Storage	<ul> <li>Protect from sunlight. Protect from sunlight when ambient temperature exceeds 52°C/125°F. Store in a well-ventilated place.</li> </ul>
Disposal	: Not applicable.
Hazards not otherwise classified	: In addition to any other important health or physical hazards, this product may displace oxygen and cause rapid suffocation.

### Section 3. Composition/information on ingredients

#### Substance/mixture Other means of

identification

: Mixture

: Not available.

#### CAS number/other identifiers

CAS number	: Not applicable.
Product code	: 008509

Ingredient name	%	CAS number
Helium	1 - 99	7440-59-7
neon	1 - 99	7440-01-9
xenon	1 - 98	7440-63-3
hydrogen	0.0001 - 1	1333-74-0
hydrogen chloride	0.0001 - 0.9999	7647-01-0

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

#### Description of necessary first aid measures

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: As this product is a gas, refer to the inhalation section.

Most important symptoms/effects, acute and delayed

# Potential acute health effectsEye contact: Contact

Eye contact	: Contact with rapidly expanding gas may cause burns or frostolite.	
Inhalation	: No known significant effects or critical hazards.	
Skin contact	: Contact with rapidly expanding gas may cause burns or frostbite.	
Frostbite	: Try to warm up the frozen tissues and seek medical attention.	
Ingestion	: As this product is a gas, refer to the inhalation section.	
Over-exposure signs	/symptoms	
Eye contact	: No specific data.	
Inhalation	: No specific data.	
Skin contact	: No specific data.	
Ingestion	: No specific data.	

Date of issue/Date of revision : 2/10/201	5. Date of previous issue	: No previous validation	Version : 0.01	2/11
---	---------------------------	--------------------------	----------------	------

### Section 4. First aid measures

Indication of immediate me	dical attention and special treatment needed, if necessary
Notes to physician	<ul> <li>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</li> </ul>
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

### See toxicological information (Section 11)

#### Section 5. Fire-fighting measures **Extinguishing media** Suitable extinguishing : Use an extinguishing agent suitable for the surrounding fire. media Unsuitable extinguishing : None known. media Specific hazards arising : Contains gas under pressure. In a fire or if heated, a pressure increase will occur and from the chemical the container may burst or explode. Hazardous thermal : No specific data. decomposition products **Special protective actions** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable for fire-fighters training. Contact supplier immediately for specialist advice. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool. **Special protective** Fire-fighters should wear appropriate protective equipment and self-contained breathing ż. apparatus (SCBA) with a full face-piece operated in positive pressure mode. equipment for fire-fighters

### Section 6. Accidental release measures

Personal precautions, protec	tiv	e equipment and emergency procedures
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Avoid breathing gas. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Ensure emergency procedures to deal with accidental gas releases are in place to avoid contamination of the environment. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for co	nta	ainment and cleaning up
Small spill	:	Immediately contact emergency personnel. Stop leak if without risk.
Large spill	:	Immediately contact emergency personnel. Stop leak if without risk. Note: see Section

immediately contact emergency personnel. Stop leak if without risk. Note: see Section
 1 for emergency contact information and Section 13 for waste disposal.

# Section 7. Handling and storage

Precautions for safe handling		
Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Contains gas under pressure. Avoid contact with eyes, skin and clothing. Avoid breathing gas. Empty containers retain product residue and can be hazardous. Do not puncture or incinerate container. Use equipment rated for cylinder pressure. Close valve after each use and when empty. Protect cylinders from physical damage; do not drag, roll, slide, or drop. Use a suitable hand truck for cylinder movement.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in a segregated and approved area. Store away from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Keep container tightly closed and sealed until ready for use. Cylinders should be stored upright, with valve protection cap in place, and firmly secured to prevent falling or being knocked over. Cylinder temperatures should not exceed 52 °C (125 °F).

# Section 8. Exposure controls/personal protection

<u>Control parameters</u> <u>Occupational exposure lir</u> None.	<u>nits</u>
Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measure	ures
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Γ	

# Section 8. Exposure controls/personal protection

<ul> <li>Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
<ul> <li>Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

# **Section 9. Physical and chemical properties**

<u>Appearance</u>		
Physical state	as.	
Color	ot available.	
Melting/freezing point		9.2°F) This is based on data for the following ingredient: xenon. Weighted .4°C (-348.5°F)
Critical temperature	west known	value: -267.9°C (-450.2°F) (helium).
Odor	ot available.	
Odor threshold	ot available.	
рН	ot available.	
Flash point	ot available.	
Burning time	ot applicable	
Burning rate	ot applicable	
Evaporation rate	ot available.	
Flammability (solid, gas)	ot available.	
Lower and upper explosive (flammable) limits	ot available.	
Vapor pressure	ot available.	
Vapor density	ghest knowi	n value: 4.5 (Air = 1) (xenon). Weighted average: 1.76 (Air = 1)
Gas Density (lb/ft <sup>3</sup> )	eighted ave	rage: 0.02
Relative density	ot applicable	
Solubility	ot available.	
Solubility in water	ot available.	
Partition coefficient: n- octanol/water	ot available.	
Auto-ignition temperature	ot available.	
Decomposition temperature	ot available.	
SADT	ot available.	
Viscosity	ot applicable	

# Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatibility with various substances	: Not considered to be reactive according to our database.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Hazardous polymerization : Under normal conditions of storage and use, hazardous polymerization will not occur.

# Section 11. Toxicological information

Information on toxicological effects
Acute toxicity
Not available.
Irritation/Corrosion
Not available.
Sensitization
Not available.
Mutagenicity
Not available.
Carcinogenicity
Not available.
Reproductive toxicity
Not available.
Teratogenicity
Not available.
Specific target organ toxicity (single exposure)
Not available.
Specific target organ toxicity (repeated exposure)
Not available.
Aspiration hazard
Not available.
Information on the likely : Not available.
routes of exposure

: 2/10/2015. Da

# Section 11. Toxicological information

Potential acute health effects	È		
Eye contact	1	Contact with rapidly expanding gas may cause burns or frostbite.	
Inhalation	:	No known significant effects or critical hazards.	
Skin contact	1	ntact with rapidly expanding gas may cause burns or frostbite.	
Ingestion	1	As this product is a gas, refer to the inhalation section.	
Symptoms related to the phy	sic	cal, chemical and toxicological characteristics	
Eye contact	:	No specific data.	
Inhalation	:	No specific data.	
Skin contact	:	No specific data.	
Ingestion	1	No specific data.	
Delayed and immediate effect	ts	and also chronic effects from short and long term exposure	
Short term exposure			
Potential immediate effects	:	Not available.	
Potential delayed effects	:	Not available.	
Long term exposure			
Potential immediate effects	:	Not available.	
Potential delayed effects	:	Not available.	
Potential chronic health eff	ect	<u>s</u>	
Not available.			
General	:	No known significant effects or critical hazards.	
Carcinogenicity	:	No known significant effects or critical hazards.	
Mutagenicity	:	No known significant effects or critical hazards.	
Teratogenicity	:	No known significant effects or critical hazards.	
<b>Developmental effects</b>	1	No known significant effects or critical hazards.	
Fertility effects		No known significant effects or critical hazards.	

### **Numerical measures of toxicity**

Acute toxicity estimates Not available.

# Section 12. Ecological information

### Toxicity

Not available.

#### Persistence and degradability

Not available.

### **Bioaccumulative potential**

Not available.

Date of issue/Date of revision

: 2/10/2015.

Date of previous issue

: No previous validation. Version :0.01

## Section 12. Ecological information

#### Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects : No known significant effects or critical hazards.

### Section 13. Disposal considerations

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Empty Airgas-owned pressure vessels should be returned to Airgas. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Do not puncture or incinerate container.

### Section 14. Transport information

	DOT	TDG	Mexico	IMDG	IATA
UN number	UN1956	UN1956	UN1956	UN1956	UN1956
UN proper shipping name	COMPRESSED GAS, N.O.S. (helium, neon)	COMPRESSED GAS, N.O.S. (helium, neon)	COMPRESSED GAS, N.O.S. (helium, neon)	COMPRESSED GAS, N.O.S. (helium, neon)	COMPRESSED GAS, N.O.S. (helium, neon)
Transport hazard class(es)	2.2	2.2	2.2	2.2	2.2
Packing group	-	-	-	-	-
Environment	No.	No.	No.	No.	No.
Additional information	-	Explosive Limit and Limited Quantity Index 0.125 Passenger Carrying Road or Rail Index 75	-	-	-

"Refer to CFR 49 (or authority having jurisdiction) to determine the information required for shipment of the product."

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to Annex II of MARPOL 73/78 and the IBC Code

# Section 15. Regulatory information

U.S. Federal regulations	SCA 8(a) CDR Exem	npt/Partial exemption: Not determined
	nited States invento	ory (TSCA 8b): All components are listed or exempted.
	lean Water Act (CW	A) 311: Hydrogen chloride
	lean Air Act (CAA) 1	12 regulated flammable substances: hydrogen
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	ot listed	
Clean Air Act Section 602 Class I Substances	ot listed	
Clean Air Act Section 602 Class II Substances	ot listed	
DEA List I Chemicals (Precursor Chemicals)	ot listed	
DEA List II Chemicals (Essential Chemicals)	ot listed	

### SARA 302/304

### **Composition/information on ingredients**

			SARA 302 1	ſPQ	SARA 304 RQ	
Name	%	EHS	(lbs)	(gallons)	(lbs)	(gallons)
hydrogen chloride	0.0001 - 0. 9999	Yes.	-	-	-	-

SARA 304 RQ : Not applicable.

### SARA 311/312 **Classification**

: Sudden release of pressure

#### **Composition/information on ingredients**

No products were found.

State	regu	lations

otato rogalationo	
Massachusetts	: The following components are listed: HELIUM; NEON; HYDROGEN
New York	: None of the components are listed.
New Jersey	: The following components are listed: HELIUM; xenon; NEON; HYDROGEN
Pennsylvania	: The following components are listed: HELIUM; NEON; HYDROGEN
Canada inventory	: All components are listed or exempted.
International regulations	
International lists	<ul> <li>Australia inventory (AICS): All components are listed or exempted.</li> <li>China inventory (IECSC): All components are listed or exempted.</li> <li>Japan inventory: Not determined.</li> <li>Korea inventory: All components are listed or exempted.</li> <li>Malaysia Inventory (EHS Register): Not determined.</li> <li>New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted.</li> <li>Philippines inventory (PICCS): All components are listed or exempted.</li> <li>Taiwan inventory (CSNN): Not determined.</li> </ul>
Chemical Weapons Convention List Schedule I Chemicals	: Not listed

## Section 15. Regulatory information

Chemical Weapons	1	Not listed
Convention List Schedule		
II Chemicals		
Chemical Weapons	:	Not listed
Convention List Schedule		
III Chemicals		

### <u>Canada</u>

WHMIS (Canada)

: Class A: Compressed gas.

CEPA Toxic substances: None of the components are listed.
Canadian ARET: None of the components are listed.
Canadian NPRI: None of the components are listed.
Alberta Designated Substances: None of the components are listed.
Ontario Designated Substances: None of the components are listed.
Quebec Designated Substances: None of the components are listed.

### Section 16. Other information

Canada Label requirements : Class A: Compressed gas.

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on SDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Date of issue/Date of revision	: 2/10/2015.	Date of previous issue	: No previous validation.	Version	: 0.01	10/11
Date of previous issue	: No previous	s validation.				
Date of issue/Date of revision	: 2/10/2015.					
Date of printing	: 2/10/2015.					
<u>History</u>						

### Section 16. Other information

Version	: 0.01
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internetiate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United NationsACGIH – American Conference of Governmental Industrial Hygienists AIHA – American Industrial Hygiene Association CAS – Chemical Abstract Services CEPA – Canadian Environmental Protection Act CERCLA – Comprehensive Environmental Response, Compensation, and Liability Act (EPA) CFR – United States Code of Federal Regulations CPR – Controlled Products Regulations DSL – Domestic Substances List GWP – Global Warming Potential IARC – International Agency for Research on Cancer ICAO – International Agency for Research on Cancer ICAO – International Civil Aviation Organisation Inh – Inhalation LC – Lethal concentration LD – Lethal dosage NDSL – Non-Domestic Substances List NIOSH – National Institute for Occupational Safety and Health TDG – Canadian Transportation of Dangerous Goods Act and Regulations TLV – Threshold Limit Value TSCA – Toxic Substances Control Act WEEL – Workplace Environmental Exposure Level WHMIS – Canadian Workplace Hazardous Material Information System
References	: Not available.

✓ Indicates information that has changed from previously issued version.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.