

AIRGAS SAFETY PRODUCTS

2016 NEW PRODUCTS GUIDE

3M

Page 6



WESTCHESTER
PROTECTIVE GEAR®

Page 13



3M

Page 3



Inside...
the industry's
newest product
innovations!



Page 12



SUPERIOR
MANUFACTURING GROUP, INC.

Page 15



MSA

The Safety Company

Page 10



Page 11

STREAMLIGHT
Heroes Trust Streamlight®

Airgas

You'll find it with us.™

Airgas Ordering and Information

855-625-5285

Airgas.com

**YOU'LL FIND THE INDUSTRY'S
NEWEST
PRODUCT
INNOVATIONS
WITH US.**



NATIONAL
SAFETY APPAREL



OccuNomix



Ansell



Table of Contents

| | |
|--|-------|
| Eye Protection | 3-4 |
| Faceshields and Hearing Protection..... | 5 |
| Respiratory and Ventilation Blower ... | 6-7 |
| Fall Protection..... | 8-10 |
| Lighting Products and High Visibility Clothing . | 11 |
| Hand Protection | 12-13 |
| Cabinets and Spill Containment | 14 |
| Matting | 15 |
| Protective Clothing | 16 |



Scotchgard™ Anti-Fog Coating lasts longer than traditional anti-fog coatings,* helping to increase eyewear performance in wet and steamy environments.

- Workers may enjoy reliable, clearer sight longer, because the coating, with its active ingredient, is bonded to the lens
- The coating retains its effectiveness for at least 25 washings, allowing workers to wear their eyewear longer
- The coating can be disinfected with diluted bleach soaking or alcohol wipes without losing its anti-fog performance
- Workers can feel confident wearing Scotchgard™ Anti-Fog coated eyewear because it meets the requirements of ANSI Z87.1 and CSA Z94.3 for limited impact

*Based on 3M internal testing per EN168 test method when compared with traditional anti-fog coatings.

3M™ Solus™ 1000 Series Safety Eyewear

- Scotchgard™ Anti-Fog Coating
- Padded, removable temples for added comfort
- Vented, removable foam gasket to help reduce eye exposure
- Other features include soft nose bridge and an optional elastic strap

| Part Number | Description | Frame | Price |
|-----------------|---|-------------|-------|
| 3MRS1101SGAF | Clear Scotchgard™ Anti-Fog Lens | Blue/Black | 9.99 |
| 3MRS1102SGAF | Grey Scotchgard™ Anti-Fog Lens | Blue/Black | 9.99 |
| 3MRS1103SGAF | Amber Scotchgard™ Anti-Fog Lens | Blue/Black | 9.99 |
| 3MRS1101SGAF-KT | KIT: 3M™ Solus™ 1000 Series, Blue/Black Eyewear with Clear Scotchgard™ Anti-Fog Lens and foam gasket and strap | | 14.99 |
| 3MRS1201SGAF | Clear Scotchgard™ Anti-Fog Lens | Green/Black | 9.99 |
| 3MRS1202SGAF | Grey Scotchgard™ Anti-Fog Lens | Green/Black | 9.99 |
| 3MRS1203SGAF | Amber Scotchgard™ Anti-Fog Lens | Green/Black | 9.99 |
| 3MRS1201SGAF-KT | KIT: 3M™ Solus 1000 Series, Green/Black Eyewear with Clear Scotchgard™ Anti-Fog Lens and Foam Gasket and Strap | | 14.99 |

*Not all lens or frame styles are stocked.



3MRS1103SGAF



3MRS1202SGAF



3MRS1201SGAF-KT



3MRGG501SGAF



3MRGG500-PI

3M™ Goggle Gear 500 Series Goggle

- Splash goggle with a low-profile design
- Scotchgard™ Anti-Fog Coating
- Adjustable strap and optional prescription insert
- Polycarbonate lenses absorb 99.9% of UV rays

| Part Number | Description | Price |
|--------------|--|-------|
| 3MRGG501SGAF | Clear Scotchgard™ Anti-Fog Lens Elastic Strap Headband | 14.99 |
| 3MRGG500-PI | Anti-Fog Lens Prescription Insert | 7.99 |



The clear choice for workplace safety

SRx Made Easy is designed to help, by simplifying the ordering process and connecting employees to a national network of independent eye care professionals. With package pricing that saves you money on a comprehensive range of frame styles and lens treatment options, **SRx Made Easy** turns a logistical challenge into a tangible benefit for your business.

Basic and Enhanced packages include:

- Choice of either 3M™ Anti-Fog Coating or NEW Scotchgard™ Easy Clean Coating
- Single vision, bifocal, trifocal, occupational and progressive addition lens designs
- Polycarbonate lens material
- Solid or gradient tint
- Sideshields: integrated, detachable or permanently attached
- Eye care professional fitting services

Shipping, handling and other itemized charges may apply in addition to advertised prices.

np3

You'll find it with us at Airgas.com



CREBD110P



CREBD112P

MCR Safety Backdraft Safety Glasses

- Lightweight, contoured frameless design that is sure to keep you safe and comfortable on and off the job
- Internal TPR side shields
- Dielectric, no metal parts, dielectric break away cord included
- Soft, secure TPR nose pad
- Black TPR temple sleeves
- Superior MAX3™ hard lens coating anti-scratch, MAX6™ Anti-Fog coating or unrivalled BossMan™ mirror coatings
- Meet ANSI Z87+ Standards

| Part Number | Lens Description | Frame | Price |
|-------------|------------------------|-----------|-------|
| CREBD110P | Clear, MAX3™ Hard Lens | Gun Metal | 8.78 |
| CREBD110PF | Clear, MAX6™ Anti-Fog | Gun Metal | 9.49 |
| CREBD112P | Gray, MAX3™ Hard Lens | Gun Metal | 9.31 |
| CREBD112PF | Gray, MAX6™ Anti-Fog | Gun Metal | 10.02 |

MAX 3
3X GREATER
SCRATCH RESISTANCE

- Superior Hard Coating Provides 3 Times More Scratch Resistance than Competitive Offerings.
- Abrasion Resistance up to 600g Weight Without Scratching (current industry performance is 200g).
- Passes EN166 K Mark Test for Scratch/Abrasion.

MAX 6
6X GREATER
ANTI-FOG PROTECTION

- Superior Anti-Fog Coating Provides 6 Times Better Anti-Fog Performance than Competitive Offerings.
- In Extreme Fogging Conditions, MAX6™ Remains Clear or Fogs for No More Than 10 Seconds, While Current Industry AF Offerings Take 60 Seconds or Longer To Dissipate.
- Passes EN166 N Mark Test for Anti-Fog.



CREUD122PF



CREUD210PF



CREUD212PF



MCR Safety USS Defense Safety Glasses

- Application based, stylish design elements with superior coatings
- Sleek, co-injected TPR over polycarbonate temples
- Fixed closed cell foam lined option
- Superior MAX3™ hard lens coating which provides 3X greater scratch-resistance, MAX6™ anti-fog coating which is proven to provide 6X greater anti-fog resistance or unrivalled BossMan™ mirror coating
- Meet Military Ballistic High Velocity Standard
- Meet ANSI Z87+ Standards

| Part Number | Lens Description | Frame | Price |
|-------------|--|-----------|-------|
| CREUD120P | Clear, MAX3™ | Dark Blue | 9.99 |
| CREUD120PF | Clear, MAX6™ | Dark Blue | 10.71 |
| CREUD122P | Gray, MAX3™ | Dark Blue | 10.53 |
| CREUD122PF | Gray, MAX6™ | Dark Blue | 11.24 |
| CREUD128B | BossMan™ Blue Diamond Mirror | Dark Blue | 12.29 |
| CREUD128BZ | BossMan™ Blue Diamond Mirror, Polarized | Dark Blue | 34.67 |
| CREUD129 | BossMan™ Indoor/Outdoor Mirror, Anti-Fog | Dark Blue | 12.29 |
| CREUD210PF | Clear, MAX6™ | Black | 12.55 |
| CREUD212PF | Gray, MAX6™ | Black | 13.08 |
| CREUD2130G | Gray, 3.0 IR | Black | 17.65 |
| CREUD2150G | Gray, 5.0 IR | Black | 17.65 |
| CREUD217 | BossMan™ Silver Mirror | Black | 14.12 |
| CREUD219AF | BossMan™ Indoor/Outdoor Clear Mirror, Anti-Fog | Black | 14.12 |

*Not all lens or frame styles are stocked.



NATIONAL SAFETY APPAREL

NSA ArcGuard® Faceshield

- High visible light transmission for greater visibility
- Attached see through chin cup for enhanced peripheral vision
- Adjustable settings allow the faceshield to be secured in various positions, including above the hard hat
- Lightweight design
- Kit includes ArcGuard® Faceshield, safety glasses, UltraSoft® balaclava and faceshield
- Arc Rating 12 CAL/CM² HRC2
- Meets ASTM F2178, complies with OSHA 1910.269, NFPA 70E-2015 compliant for Arc Flash, CSA 2462-15 compliant for Arc Flash (Canada)



N33H12FSHAT



| Part Number | Description | Price |
|--------------|--|--------|
| N33H12FS | ArcGuard® Faceshield with Slotted Adapter | 158.16 |
| N33H12FSU | ArcGuard® Faceshield with Universal Adapter | 164.79 |
| N33H12FB | ArcGuard® Faceshield with Full Brim Adapter for Full Brim Hard Hats | 164.79 |
| N33H12FSHAT | ArcGuard® Faceshield with Hard Hat | 187.35 |
| N33KITHP12AG | 12 CAL/CM ² ArcGuard® 241.22 Faceshield Kit Includes: ArcGuard® Faceshield with Hard Hat Plus Balaclava, Safety Glasses and Bag | 241.22 |



N33H12FS



N33H12FSU



N33KITHP12AG



The **3M™ One Touch™ Pro** Ear Plugs dispenser offers convenient access to workers on the move. A simple twist accurately and consistently dispenses one earplug at a time. The reusable free-standing or wall hanging dispenser can be re-stocked with One Touch™ refills of our most popular 3M™ E-A-R™ Earplugs.



3M™ One Touch™ Pro Earplug Dispenser and Plugs

- Incorporates *No Waste Funnel* system that delivers earplugs quickly and easily. Reusable base and dispensing unit

| Part Number | Description | NR | Packaged | Price |
|--|---------------------------------------|-------|--------------------------------------|-------|
| E-A-R™ Classic™ | | | | |
| CAS391-1001 | Classic™ Refill Bottle | 29 dB | 500 pr/bx, 4 bx/cs | 78.14 |
| CAS391-1002 | SuperFit™ 30 Refill Bottle | 30 dB | 500 pr/bx, 4 bx/cs | 79.70 |
| E-A-Rsoft™ | | | | |
| CAS391-1004 | Neons™ Refill Bottle, Regular Size | 33 dB | 500 pr/bx, 4/bx/cs | 58.89 |
| CAS391-1010 | Blasts™ Refill Bottle, Regular Size | 33 dB | 500 pr/bx, 4/bx/cs | 69.91 |
| CAS391-1254 | SuperFit™ Refill Bottle, Regular Size | 33 dB | 500 pr/bx, 4/bx/cs | 71.31 |
| One Touch™ Pro Earplug Dispenser Base | | | | |
| 3MR391-0000 | One Touch™ Pro Ear Plug Dispenser | | Call your representative for pricing | |



Refill Bottle



3M™ Organic Vapor Service Life Indicator Cartridges 6000i Series

Incorporate a revolutionary end-of-service-life indicator (esli) technology to help answer the question that every respirator user must answer – “When should I change my cartridge”.

- The 3M™ service life indicator can help provide added peace of mind as a complement to your current change-out schedule, and in some cases replace your current practices
- This technology can help increase compliance with your company’s respiratory policy and industry requirements
- These cartridges are NIOSH approved as 6001i and 60921i organic vapor cartridges against certain organic gases and vapors, plus they have all of the features you would find in standard 3M™ organic vapor cartridges

Optimize Cartridge Use

- It’s design to indicate service life based on individual exposure and respiratory use patterns

Engage your workforce in safety

- This simple, visual tool can help users determine when to change cartridges



Removable Label

The peel-back label helps to protect the indicator from overspray and debris.



| Part Number | Description | Price |
|-----------------|--|-------|
| 3MR6001 | Organic Vapor Cartridge with 3M™ Service Life Indicator | 6.11 |
| 3MR051141-56208 | Organic Vapor Cartridge/P100 with 3M™ Service Life Indicator | 28.74 |

How the 3M™ Service Life Indicator works

3M™ Organic Vapor Cartridges 6001i And 60921i contain the 3M™ Service Life Indicator, a visual ESLI for certain organic vapors and exposure levels. The ESLI is located inside the cartridge, next to the activated carbon. As organic vapors travel through the cartridge, they are also absorbed into the ESLI. The clear cartridge wall allows you to monitor the developing indicator bar. When the cartridge is exposed to specific vapor concentrations, you will notice a change in the indicator.

When used properly in appropriate environments, an indicator bar will develop to help determine the remaining cartridge service life.

Simple Indicator Bar



Allegro® 26" Axial Ventilation Blower

- Offers a high powered 2 hp, 115/230v ac, 60 hz, single phase, thermally protected motor for applications requiring a maximum amount of output
- Offers the highest cfm output of any of our blowers (9570/8610/7750)
- Glass reinforced polypropylene (ppg) three blade fan with aluminum hub
- Complete unit epoxy powder coated in “safety orange”
- Interchangeable flange for intake/exhaust side mounting
- 16 Gauge cold rolled steel housing
- 3/16" (.476cm) Motor base
- Bolted motor mount construction
- Integrated carrying handles
- Steel/zinc plated grill
- Equipped with four rubber feet
- On/off switch box mounted to chassis



ALLEGRO®

INDUSTRIES



| Part Number | Description | Price |
|-------------|------------------------------|----------|
| ALE9530 | 26" Axial Ventilation Blower | 1,860.00 |



3M™ Speedglas™ Auto-Darkening Filter 9100XXi

The 3M™ Speedglas™ Welding Helmet 9100 with Auto Darkening Filter 9100XXi offers the largest viewing area in our 3M™ Speedglas™ product line. But with improved optics, the 9100XXi ADF allows you to see colors in a more realistic and natural state, which can help welders complete certain jobs with greater precision.

- Improved optics allows welders to see more realistic colors
- The 9100XXi silver front panel houses external controls, enabling fast and easy access to the grinding and memory modes
- Grab and go with auto-on allows welders to work quickly
- An improved user interface that is easy to understand
- Two memory modes that allow welders to set individual settings for dark shade, light-to-dark switching sensitivity, and dark-to-light delay
- External grinding mode activation
- Meets ANSI Z87.1 standard for limited impact
- Welding cap, carry bag, and starter kit included



3MR06010030iSW



3MR25570230iSW



3MR35110130iSW



Complete welding helmet systems – with 3M™ Speedglas™ Welding Filter Kit 9100XXi

3M™ Speedglas™ Welding Filter 9100XXi

| Part Number | Description | Price |
|----------------|---|----------|
| 3MR06010030iSW | 3M™ Speedglas™ Welding Helmet 9100, with Welding Filter Kit 9100XXi | 536.99 |
| 3MR25570230iSW | 3M™ Speedglas™ Welding Helmet 9100 Air, with Welding Filter Kit 9100XXi and 3M™ Versaflto™ Supplied Air Regulator V-100 | 1,338.99 |
| 3MR35110130iSW | Adflo™ Powered Air Respirator 3M™ Speedglas™ Welding Helmet 9100 Air, with Welding Filter Kit | 1,889.99 |

Upgrade your current 3M™ Speedglas™ Welding Helmets 9100 / 9100-Air

| Part Number | Description | Price |
|-----------------|--|--------|
| 3MR06-0000-30I | 3M™ Speedglas™ Welding Filter 9100XXi (without silver front panel) The Filter Fits to All Speedglas™ Welding Helmets Series 9100, But Needs the New Silver Front to Have the Outside Control Functions | 509.99 |
| 3MR06000030IKIT | Welding filter kit 9100XXi (new silver front and 9100XXi welding filter) Applicable to Speedglas™ Welding Helmets 9100 and 9100-Air | 526.99 |

3M™ Speedglas™ Welding Filter 9100XXi

| | | | |
|--------------------------|---------------------|------------------------------|-----------------------------------|
| Viewing Area | 2.87" x 4.21" | Dark States | Shades 5, 8, 9-13 |
| Battery Life Time | 1800 Hours | Fail-Safe Shade | Shade 5 |
| Battery Type | CR2032 (Lithium 3V) | UV/IR Protection | Shade 13 Protection in All States |
| Classification | 1/1/1/2 | Delay (dark-to-light) | Adjustable from 40 to 800 ms |
| Light State | Shade 3 | Grinding State | Shade 3 |

See the difference!

Improved optics in the New 3M™ Speedglas™ Welding Filter 9100XXi provide more contrast and natural-looking color, as shown by these photos.





HEAVY ON FEATURES. LIGHT ON YOUR BACK.



EZ-Link™ Quick SRL Adapter

The EZ-Link™ quick SRL adapter lets you quickly attach personal self retracting lifelines into a durable connection point, while keeping your dorsal D-ring available. That means no more messing around with your webbing to connect SRLs. It reduces connection and disconnection time up to 80% compared to competitive harnesses.

LIFTech™ Load Distribution System

The revolutionary LIFTech™ load distribution system features an adjustable “spine” that lifts the weight off of your shoulders and transfers it to the base of your torso. Tests resulted in a reduction of forces on shoulders up to 85% compared to leading competitor harness. That means more comfort and productivity with less fatigue all day long.

Front Snap D-Ring

The front D-ring snaps into a vertical position for use with fall arrest or vertical systems. When not in use, it easily stores flat against the chest strap to keep it stowed and out of the way.

Lanyard Keepers

The highly durable breakaway lanyard keepers automatically reset when hooks are pulled out. They’re conveniently designed to be adjusted to any position or replacement along the webbing.



ExoFit STRATA™ Construction Style Positioning Harness. Aluminum back and side D-rings, tongue buckle leg straps with sewn in hip pad and belt

| Part Number | Size | Price |
|-------------|--------|--------|
| D621112565 | Small | 473.00 |
| D621112566 | Medium | 473.00 |
| D621112567 | Large | 473.00 |
| D621112568 | XLarge | 473.00 |

ExoFit STRATA™ Construction Style Positioning Harness. Aluminum back and side D-rings, locking quick-connect buckles with sewn in hip pad and belt

| Part Number | Size | Price |
|-------------|--------|--------|
| D621112550 | Small | 488.00 |
| D621112551 | Medium | 488.00 |
| D621112552 | Large | 488.00 |
| D621112553 | XLarge | 488.00 |

ExoFit STRATA™ Construction Style Positioning Harness. Aluminum back and side D-rings, Tri-Lock Revolver™ quick-connect buckles with sewn in hip pad and belt

| Part Number | Size | Price |
|-------------|--------|--------|
| D621112535 | Small | 533.00 |
| D621112536 | Medium | 533.00 |
| D621112537 | Large | 533.00 |
| D621112538 | XLarge | 533.00 |

ExoFit STRATA™ Construction Style Positioning/Climbing Harness. Aluminum back, front, and side D-rings, Tri-Lock Revolver™ quick-connect buckles with sewn in hip pad and belt

| Part Number | Size | Price |
|-------------|--------|--------|
| D621112540 | Small | 552.00 |
| D621112541 | Medium | 552.00 |
| D621112542 | Large | 552.00 |
| D621112543 | XLarge | 552.00 |



The ExoSTRATA™ redistributes the weight from pressure points on your shoulders and spreads it out to the base of your hips, helping reduce soreness and fatigue.



Sealed-Block™ Self Retracting Lifeline

SRL with Magnetic Retraction Control (MRC) 50 ft. (15m) of 3/16" (5mm) 316 stainless steel wire rope with swivel snap hook, stainless steel carabiner and magnetic retraction.

- Utilizes magnetic eddy current technology to reduce retraction speed by 3X, greatly reducing the potential for lock-up during uncontrolled retraction
- Slower retraction speed reduces risk of damage to the paint on a ladder when the lifeline is accidentally released
- Super corrosion resistant housing for added protection against caustic environments
- 316SS Wire rope for added protection in corrosive environments

FAST-LINE™ ALLOWS EASY REPLACEMENT OF STAINLESS CABLE

- Trained users can replace cable in the field
- Reduce downtime and costs

| Part Number | Description | Price |
|-------------|--|----------|
| D623400846 | Sealed-Block™ Self Retracting Lifeline — Magnetic Retraction Control (MRC) | 2,044.00 |

FLEXGUARD™ TRAILER MOUNT SYSTEM: ENSURES MAXIMUM SAFETY, AND PEACE OF MIND AT ALL OF YOUR SITES.

DOT rated for highway use. System needs to be lowered and locked during transport

Rated for two users — 310 lb (140 kg) each

Total working coverage for two users is approximately 16' (4.88m)

System designed for a 6' (1.8m) working surface from the ground

Equipped with two shock absorbing arms (Patent Pending)

Adjustable anchor height range from 10'–21.5' (3m–6.6m)

Stand alone design so the weight of a vehicle is not required for fall protection use

Crank handle to raise and lower mast. Integrated brake locks mast in place

Integrated counterweight (concrete included)

3" (76mm) Lunette Ring for Pintle Hitch

7,000 lbs. rated stabilizing jacks



Self Retracting Lifelines approved for use with systems D623504433



Colored indicators show when both fully extended and retracted



D628530690

Includes tail and brake lights for use on highway (DOT rated)




Flexiguard™ Trailer

The Flexiguard™ DOT Rated Trailer Mount System is a portable overhead safety system that can be easily moved between job sites at posted highway speeds.

- DOT rated for highway use. System needs to be lowered and locked during transport
- Equipped with two shock absorbing arms (Patent Pending)
- Total working coverage for two users is approximately 16 ft. (4.88 m)
- System designed for a 6 ft. (1.8 m) working surface from the ground
- Adjustable anchor height range from 10 ft. – 21.5 ft. (3m – 6.6m)
- Standalone design so the weight of a vehicle is not required for fall protection use
- Crank handle to raise and lower mast
- Integrated brake locks mast in place
- 3 in. (76mm) Lunette Ring for Pintle Hitch
- 7,000 lbs. Rated stabilizing jacks
- Includes tail and brake lights for use on highway (DOT rated)
- Colored indicators show when both fully extended and retracted
- Self-Retracting Lifeline approved for use with system: D623504433
- Integrated counterweight (concrete included)
- Compliant to OSHA 1926.502 (d) (15), ANSI Z359.6

| Part Number | Description | Price |
|-------------|-----------------------------|-----------|
| D628530690 | DOT Rated Trailer | 32,000.00 |
| D628530624 | Rugged Off-Road DOT Trailer | 40,849.00 |

Equipped with i-Safe™



D628530624



Shipping, handling and other itemized charges may apply in addition to advertised prices.

np9

You'll find it with us at Airgas.com



Patent-pending EZ-Link™ D-ring simplifies lanyard and personal self-retracting lifeline connection

Color-coded and reflective elements direct user's eyes and provide greater visibility, even in dark situations



Easily accessible primary release cord trimmed in highly visible yellow to guide user's eye's to release handle



Assisted-rescue ring allows for remote access and deployment of the SELF+RSQ device in the event a user is incapacitated

Molded padding protects the bag from additional wear and tear when personal SRLs are worn

Descent device and rope spool are sealed to prevent water-exposure and component lockup in below-freezing environments

Easily connects to your current harness!



DBI/SALA® SELF+RSQ™ Detachable Self Rescue System

| Part Number | Description | Price |
|-------------|-------------------------------------|--------|
| D623320030 | 50' Detachable Self-Rescue™ System | 550.00 |
| D623320031 | 100' Detachable Self-Rescue™ System | 650.00 |



MSA Gravity® Suspension Harness

- Eight adjustment points for perfect sizing and fit
- Fold back hip D-rings that allow users to reduce possible snag hazards
- Gravity Suspension versions available with comfort shoulder padding
- Tool loops with internal rigid supports to make connection of tools easier
- Tool loops on leg straps provide more tool holding options, and if are not needed may be cut off
- All versions include waist and leg padding to improve suspension comfort
- Quick adjusting buckles allow one hand tightening and loosening
- Elastic web keepers provide flexibility to manage excess webbing
- D-rings available at Ventral (waist), Sternal, Hip and Back locations
- Waist pad with dual layer construction to reduce pressure during suspension
- Fall arrest rated Sternal and Back D-ring
- Carabiner with 3,600 lb (16kN) gate strength
- Bayonet style buckles available with locking engagement window to confirm secure connection
- Bayonet buckles with undercut engagement, which prevents both tabs from disconnection while under tension



Also Available in Black



| Part Number | Description | Size | Price |
|-------------|---|--------|--------|
| MSA10150453 | Gravity® Suspension Harness, Aluminum Back, Front, Ventral and Hip D-rings, Lumbar, Shoulder and Leg Padding, Green Web | Small | 359.79 |
| MSA10150454 | Gravity® Suspension Harness, Aluminum Back, Front, Ventral and Hip D-rings, Lumbar, Shoulder and Leg Padding, Green Web | Medium | 370.58 |
| MSA10150455 | Gravity® Suspension Harness, Aluminum Back, Front, Ventral and Hip D-rings, Lumbar, Shoulder and Leg Padding, Green Web | Large | 376.01 |

You'll find it with us at Airgas.com

np10

Shipping, handling and other itemized charges may apply in addition to advertised prices.

Airgas New Products Guide

Lighting Products/ High Visibility Clothing



Streamlight 3AA ProPolymer® Dualie®

See what's ahead of you and right in front of your feet with the intrinsically safe 3AA ProPolymer Dualie®. Its bright light, which shines both ahead of you and downward, helps you avoid slips, trips and falls.

- Features two C4® LEDs and three lighting modes: spot, flood, spot and flood simultaneously

Spot: 140 lumens; 7,300 candela; 171m beam; runs 18 hours

• Smooth parabolic reflector provides tight beam with optimum peripheral illumination

Flood: 140 lumens, 80 candela; 18m beam; runs 18 hours

• Flood beam produces a soft, wide beam to illuminate your work area

Spot/Flood combo: 245 lumens; runs nine hours

| Part Number | Description | Price |
|-------------|--|-------|
| SD868751 | 3AA ProPolymer® Dualie® without Batteries – Yellow | 50.00 |
| SD868753 | 3AA ProPolymer® Dualie® without Batteries – Black | 50.00 |



Streamlight Siege® AA

ULTRA-COMPACT, ALKALINE HAND LANTERN with Magnetic Base

A rugged, compact lantern for when you need a lot of light without it taking up a lot of space. The Siege® AA uses affordable, easy-to-find AA alkaline batteries to provide 360° of soft, even light that illuminates a large area.

Multiple modes:

White LED (one C4® LED) with cover removed:

- High for brightest light: 200 lumens; runs seven hours
- Medium for bright light and longer run times: 100 lumens; runs 15.5 hours
- Low provides extended run times for when less light is needed: 50 lumens; runs 37 hours Red LED (two red LEDs)
- Red LED High (night vision preserving mode): 0.7 lumens; runs 192 hours (8 days)
- Flash SOS mode for emergency signaling: 0.7 lumens; runs 288 hours (12 days)

| Part Number | Description | Price |
|-------------|----------------------------------|-------|
| SD844943 | Siege® AA Magnetic Base – Yellow | 53.00 |



Streamlight 3AA ProPolymer® Dualie® Laser

The first intrinsically safe flashlight featuring a red laser pointer. Along with a focused spot beam, you can see what's ahead of you and illuminate your work area, as well as identify and pinpoint objects at a distance.

- Dualie Laser model features one C4® LED and a 640nm - 650nm red laser and three lighting modes: spot, laser, spot and laser simultaneously

LED: 150 lumens; 7,700 candela; 175m beam; runs 17 hours

• Smooth parabolic reflector provides tight beam with optimum peripheral illumination

Laser: <5mW output power; Class 3R laser; runs 70 hours

• Laser for identifying or targeting objects at a distance;

LED/Laser combo: runs 12 hours

| Part Number | Description | Price |
|-------------|---|-------|
| SD868760 | 3AA Propolymer® Laser with three AA Alkaline Batteries – Yellow | 70.00 |
| SD868762 | 3AA Propolymer® Laser with Three AA Alkaline Batteries – Black | 70.00 |



OccuNomix Class 3 Economy Two-Tone Mesh Vest

- 2" Silver reflective tape set on 4" contrast band
- ANSI 107 100% Polyester Mesh
- Mic Tab
- Pockets: one smartphone flap chest pocket with gusset, one large inside pocket and one inside pencil pocket
- ANSI 107 100% Polyester Mesh

| Part Number | Description | Size | Price |
|---------------|------------------------------------|---------|-------|
| OCCIMZ32T-YM | Class 3 Economy Two-Tone Mesh Vest | Medium | 15.31 |
| OCCIMZ32T-YL | Class 3 Economy Two-Tone Mesh Vest | Large | 15.31 |
| OCCIMZ32T-YXL | Class 3 Economy Two-Tone Mesh Vest | XLarge | 15.31 |
| OCCIMZ32T-Y2X | Class 3 Economy Two-Tone Mesh Vest | 2XLarge | 15.31 |
| OCCIMZ32T-Y3X | Class 3 Economy Two-Tone Mesh Vest | 3XLarge | 15.31 |



OccuNomix Class E Two-Tone Mesh Pants

- 2" Silver reflective tape set on contrast band
- ANSI 107 100% Polyester Mesh
- Wide leg opening with elastic and hook and loop
- Adjustable drawstring waist with elastic back and ankles
- Two pass-through pockets

| Part Number | Description | Price |
|----------------|---|-------|
| OCCTEM2TYS/M | Class E Two-Tone Mesh Pants Small/Medium | 18.88 |
| OCCTEM2TYL/XL | Class E Two-Tone Mesh Pants Large/XLarge | 18.88 |
| OCCTEM2TY2X/4X | Class E Two-Tone Mesh Pants 2XLarge/3XLarge | 18.88 |

Shipping, handling and other itemized charges may apply in addition to advertised prices.

np11

You'll find it with us at Airgas.com



PIP44-3745

Highest durability with minimal palm thickness




PIP44-3445

With Micro Nitrile Dots



PIP MaxiCut® Ultra™ by ATG® Gloves

- Micro-Foam nitrile coatings are compatible with light oils and will provide a good grip and excellent abrasion resistance
- Unique high performance yarns and fiber that offer cut protection while maintaining high levels of comfort
- Reinforcement between the thumb and forefinger
- Patented micro-foam nitrile coating offers 360° breathability making it the most breathable cut resistant glove on the market, offering great grip wet or dry
- Optimized grip delivered through our micro-cup finish
- Minimal penetration (strike through) leaving only the soft liner resting against the skin
- 44-3445 Style available with black micro-foam nitrile coated with nitrile dots
- Sold per pair



| Part Number | Description Size | Price |
|---------------|---|-------|
| PIP44-3745/M | MaxiCut® Ultra™ Medium | 15.18 |
| PIP44-3745/L | MaxiCut® Ultra™ Large | 15.18 |
| PIP44-3745/XL | MaxiCut® Ultra™ XLarge | 15.18 |
| PIP44-3445/M | MaxiCut® Ultra™ with Micro-Foam Nitrile Dots Medium | 15.98 |
| PIP44-3445/L | MaxiCut® Ultra™ with Micro-Foam Nitrile Dots Large | 15.98 |
| PIP44-3445/XL | MaxiCut® Ultra™ with Micro-Foam Nitrile Dots XLarge | 15.98 |


Ansell AlphaTec® 58-128 Gloves

- Thin 7 mil nitrile shell with 15 gauge nylon liner
- Unprecedented dexterity designed to conform to the shape of the wearer's hand, enabling natural movement and reducing hand fatigue
- Light-duty chemical protection affords workers engaged in intricate, tactile tasks protection from selective chemical risks with forearm splash protection
- ANSELL GRIP™ technology provides optimal control and confidence – reduces hand fatigue by requiring less hand force while gripping during slippery and hazardous conditions
- Sold per pair

| Part Number | Description | Size | Price |
|--------------|-----------------------------------|------|-------|
| ANE58-128-7 | AlphaTec® 58-128 7 mil Light-Duty | 7 | 4.53 |
| ANE58-128-8 | AlphaTec® 58-128 7 mil Light-Duty | 8 | 4.53 |
| ANE58-128-9 | AlphaTec® 58-128 7 mil Light-Duty | 9 | 4.53 |
| ANE58-128-10 | AlphaTec® 58-128 7 mil Light-Duty | 10 | 4.53 |
| ANE58-128-11 | AlphaTec® 58-128 7 mil Light-Duty | 11 | 4.53 |

Ansell ActivArm® 97-120 Gloves

- 15 Gauge INTERCEPT knit liner increases user comfort and dexterity
- ¾ Dipped neoprene/nitrile coating
- INTERCEPT cut resistance technology provides cut protection, increasing safety
- Hands stay clean and comfortable when handling wet or oily objects
- Easier handling of tools, increasing safety and reducing fatigue
- Outstanding mud-oil grip plus cut and impact resistance protects hands in extreme conditions, reducing fatigue and increasing productivity
- High visibility orange color increases awareness of location of users' hands for safety
- TPR Impact bumpers protect entire back of hand from medium-level impact injury
- Sold per pair



| Part Number | Description | Size | Price |
|--------------|------------------|-------------|-------|
| ANE97-120-8 | ActivArm® 97-120 | (8) Small | 24.78 |
| ANE97-120-9 | ActivArm® 97-120 | (9) Medium | 24.78 |
| ANE97-120-10 | ActivArm® 97-120 | (10) Large | 24.78 |
| ANE97-120-11 | ActivArm® 97-120 | (11) XLarge | 24.78 |



ANSELL GRIP Ansell Grip Technology™

Enhanced Dexterity with Light Duty Chemical Protection

RIPEL™ Liquid Repellence Technology
INTERCEPT™ Cut Resistance Technology
ANSELL GRIP Ansell Grip Technology™

SHOWA® 306 Gloves

- Built to excel in the elements year-round, engineered with revolutionary dual natural rubber coating technology
- Blue full foam natural rubber coating
- Extra black coating on palm provides enhanced grip and abrasion resistance
- 13 Gauge seamless knit nylon/polyester liner
- Impermeability defies liquids
- Provide everyday protection and performance for a versatile range of outdoor pursuits
- Sold per pair



| Part Number | Description | Size | Price |
|--------------|-------------|---------|-------|
| B13306S-06 | SHOWA® 306 | Small | 8.12 |
| B13306M-07 | SHOWA® 306 | Medium | 8.12 |
| B13306L-08 | SHOWA® 306 | Large | 8.12 |
| B13306XL-09 | SHOWA® 306 | XLarge | 8.12 |
| B13306XXL-10 | SHOWA® 306 | 2XLarge | 8.12 |

SHOWA® 381 Gloves

- Embossed "S" pattern foam nitrile palm finish encourages liquid to roll off your hand to maximize grip in wet and oily applications
- Microfiber properties boost vapor permeation and enhances breathability thus drier hands and less sweat
- 13 Gauge seamless microfiber knit liner provides comfortable fit and excellent dexterity
- Crafted for long-lasting comfort and optimal grip
- Extended cuff for added protection
- Low-lint with microfiber
- Sold per pair



| Part Number | Description | Size | Price |
|-------------|-------------|--------|-------|
| B13381S-06 | SHOWA® 381 | Small | 5.96 |
| B13381M-07 | SHOWA® 381 | Medium | 5.96 |
| B13381L-08 | SHOWA® 381 | Large | 5.96 |
| B13381XL-09 | SHOWA® 381 | XLarge | 5.96 |

SHOWA. Always Innovating. Never Limiting.




The Ultimate Outdoor Companion



WESTCHESTER
PROTECTIVE GEAR®

West Chester R2 Cut FLX 4® Gloves

- Hi-visibility yellow HPPE shell with orange foam nitrile palm coating
- 10 Gauge seamless knit shell provides cost savings and added comfort compared to cut and sewn dorsal impact gloves
- Superior grip even when working conditions are slick
- Silicone-free
- 7 mil TPR for back of hand protection
- Complete with Kevlar® stitched thumb saddle, this glove is guaranteed to last even on the toughest jobs
- Ideal for glass handling, metal fabrication, manufacturing and steel handling
- Sold per pair



| Part Number | Description | Size | Price |
|------------------|------------------------------|---------|-------|
| WECHVY710HSNFBM | R2 Cut FLX 4®, Hi-Viz Yellow | Medium | 24.49 |
| WECHVY710HSNFB L | R2 Cut FLX 4®, Hi-Viz Yellow | Large | 24.49 |
| WECHVY710HSNFBX | R2 Cut FLX 4®, Hi-Viz Yellow | XLarge | 24.49 |
| WECHVY710HSNFB2 | R2 Cut FLX 4®, Hi-Viz Yellow | 2XLarge | 24.49 |



WESTCHESTER
PROTECTIVE GEAR®

West Chester R2 Multipurpose Impact Gloves

- Hi-visibility yellow shell with yellow nitrile foam palm coating
- 13 Gauge nylon seamless knit shell
- 7 mil Black TPR for back of hand protection
- Ideal for Automotive, Manufacturing and Material Handling
- Machine washable
- Sold per pair




| Part Number | Description | Size | Price |
|-----------------|---------------------------------------|---------|-------|
| WECHVY713NFB/M | R2 Multipurpose Impact, Hi-Viz Yellow | Medium | 10.49 |
| WECHVY713NFB/L | R2 Multipurpose Impact, Hi-Viz Yellow | Large | 10.49 |
| WECHVY713NFB/XL | R2 Multipurpose Impact, Hi-Viz Yellow | XLarge | 10.49 |
| WECHVY713NFB/2X | R2 Multipurpose Impact, Hi-Viz Yellow | 2XLarge | 10.49 |



Memphis® Cut Pro™ Gloves

- Seamless 18 gauge HPPE salt and pepper shell is comfortable, cool and easy to wear
- Durable gray polyurethane coated palm and fingertips
- PU coating adds more abrasion resistance and grip, making this glove a must for those tough jobs
- Sold per pair



| Part Number | Description | Size | Price |
|--------------|-------------|--------|-------|
| MEG92728PUS | Cut Pro™ | Small | 7.24 |
| MEG92728PUM | Cut Pro™ | Medium | 7.24 |
| MEG92728PUL | Cut Pro™ | Large | 7.24 |
| MEG92728PUXL | Cut Pro™ | XLarge | 7.24 |



Memphis® Ninja® BNF Gloves

- Lightweight 18 gauge gray nylon/Spandex shell
- ¾ Over the knuckle coating of red flat nitrile with a second black BNF (Breathable Nitrile Foam) coating
- BNF has exceptional abrasion resistance and unparalleled grip performance
- Sold per pair



GREATER ABRASION, BETTER GRIP!
47% greater abrasion resistance than the competition.



| Part Number | Description | Size | Price |
|-------------|-------------|--------|-------|
| MEGN96783S | Ninja® BNF | Small | 6.27 |
| MEGN96783M | Ninja® BNF | Medium | 6.27 |
| MEGN96783L | Ninja® BNF | Large | 6.27 |
| MEGN96783XL | Ninja® BNF | XLarge | 6.27 |

Shipping, handling and other itemized charges may apply in addition to advertised prices.

np13

You'll find it with us at Airgas.com

Sure-Grip® EX Hazardous Material Safety Cabinets



Self-Closing Doors

Required on all Hazardous Material Cabinets, the encased self-close mechanism provides obstruction-free access to top shelf space. Self-indexing doors close in sequence to ensure a tight closure from top to bottom.

U-LOC™ Door Handle

Flush-mount Sure-Grip® handle comes with installed cylinder lock and key set. Accepts optional padlocks for added security.

Haz-Alert™ Reflective Labeling

Firefighter friendly warning labels reflect with high visibility when illuminated with a flashlight. As required by code, cabinet must be labeled "Hazardous — Keep Fire Away".

Application Specific Labels

Choose from a packet of 10 chemical specific labels, and apply to indicate contents of the cabinet.

Cabinets are FM, NFPA 400, NFPA 1, and International Fire Code Compliant



Label pack includes ten content specific labels. Affix label for your application.

Sure-Grip® EX Hazardous Material Safety Cabinets

| Part Number | Description | Size (H x W x D) | Price |
|-------------|-------------------------------|------------------|----------|
| JTR863028 | 30 Gallon, 2-Door, Self-Close | 44" x 43" x 18" | 1,268.36 |
| JTR864528 | 45 Gallon, 2-Door, Self-Close | 65" x 43" x 18" | 1,415.76 |
| JTR869028 | 90 Gallon, 2-Door, Self-Close | 65" x 43" x 34" | 3,263.57 |



EN Safety Cabinets

- Fire-resistant design protects volatile contents for 30 minutes (JTR22603) or 90 minutes (JTR22607), allows increased evacuation time and gives emergency responders additional critical minutes for controlling the fire before it reaches flammable contents, greatly reducing the spread and severity of the fire
- Innovative hybrid-style door(s) open/close manually, and automatically self-close under fire conditions
- Ventilation system accepts an exhaust air pipe or recirculating air filter to control fumes
- Unique removable sump with perforated insert funnels spills from shelves and ensures containers never sit in spilled liquid
- Bright interior color provides greater visibility to containers — minimizes mistakes in container selection
- EN, OSHA, NFPA, FM, and MPA Dresden approved

| Part Number | Description Size (H x W x D) | Price |
|-------------|---|----------|
| JTR22603 | 30 Gallon, 1-Door, Hybrid-Close 76.65" x 45.83" x 24.41" | 4,701.36 |
| JTR22607 | 45 Gallon, 2-Door, Hybrid-Close 76.89" x 46.97" x 24.21" | 6,091.79 |

Flexible spill containment for leakproof protection that sets up quickly and folds easily for portable storage. Available in a wide range of sizes and styles ... as well as custom sizes!

- Rugged, patented **Rigid-Lock QuickBerm®** offer drive-in, drive out capability for heavy IBCs, drums, and fuel tankers
- **Rigid-Lock QuickBerm® Lite** deploys quickly for emergency spill response to saddle tank ruptures, leaky containers or batteries and hydraulic leaks and breaks
- Low profile **Maintenance Spill Berms** guard against everyday leaks and spills. Urethane foam sidewalls allow easy entry/exit via drum dolly, and spring back for secure containment

Spill Containment with Drive-in/out Capability



Rigid-Lock QuickBerm® for IBCs or Drums

Everyday Drips, Leaks and Spills




Maintenance Spill Berms

Emergency Spill Protection and Decontamination



Rigid-Lock Quick-Berm® Lite

Available in a wide range of sizes, over 100 models. Ask us for details!



NOTRAX
PREMIUM FLOOR MATS

FR Niru® Cushion-Ease® Solid 3/4" Thick

- Fire retardant rubber antifatigue mat great for welding environments
- 100% Nitrile Fire Retardant rubber compound
- Slip resistance to welding spatter
- Allows most cart traffic
- Optional MD Ramp System
- Modular design that is easy to snap together

Description: Niru® Cushion-Ease® Solid Fire Retardant is made with a 100% Nitrile rubber compound providing unmatched durability and performance in harsh wet environments where caustic chemicals, cutting fluids, animal fats, oils, and greases are often found. A solid top construction offers additional anti-fatigue relief, and is easy to clean. Easy to snap together mats are compatible with NoTrax FR M.D. Ramp System for on-site custom configurations.

| Part Number | Thickness | Color | Size | Price |
|---------------|----------------|--------|---------|--------|
| S57656SFR33BL | 3/4" | Black | 3' x 3' | 121.62 |
| S57651F0003YL | 3' Female Ramp | Yellow | | 18.18 |
| S57651M0003YL | 3' Male Ramp | Yellow | | 18.18 |



Dura 490 Trax™ and 990 Dura Trax™ Grande™

- **NEW** Nitrile blend rubber top surface works in welding environments
- 600° Hot nut test — no ignition, barely any smoke
- Sloped beveled edges to reduce trip hazards
- UniFusion™ bond guaranteed for the life of the mat
- RedStop™ non-slip backing to eliminate mat slippage

Dura Trax™ is a high-performance anti-fatigue floor mat offering the ultimate in comfort and durability for today's industrial environments. Dura Trax™ combines a noticeably softer rubber top surface with a dense sponge backing material using the NoTrax® exclusive UniFusion™ bonding process. Dura Trax™ comes in a 9/16" (490) or a full 1" (990) thickness that allows you to select your level of comfort.

APPLICATIONS: Extremely well suited for multi-shift operations in dry work areas; workstations, assembly lines, withstands exposure to sparks in welding applications.

| Part Number | Thickness | Color | Size | Price |
|---------------|-----------|--------------|----------|----------|
| S57490S0023YB | 9/16" | Black/Yellow | 2' x 3' | 92.40 |
| S57490S0035YB | 9/16" | Black/Yellow | 3' x 5' | 231.00 |
| S57490R3675YB | 9/16" | Black/Yellow | 3' x 75' | 3,465.00 |
| S57990S0023YB | 1" | Black/Yellow | 2' x 3' | 114.12 |
| S57990S0035YB | 1" | Black/Yellow | 3' x 5' | 285.30 |
| S57990R3675YB | 1" | Black/Yellow | 3' x 75' | 4,279.50 |

**Also available in all black. Additional sizes 2' & 4' wide rolls, length 75'.
Cuts 2', 3', 4', length 75'**

New Nitrile blend rubber top surface resists oils, chemicals and welding sparks with added flexibility and comfort.

Pebble 480 Trax™ and 980 Pebble Trax™ Grande™

- Resilient rubber top surface resists exposure to sparks from welding
- Pebble-embossed surface texture provides added traction and is easy to sweep clean
- RedStop™ non-slip backing to eliminate mat slippage
- Exclusive UniFusion™ bond guaranteed for the life of the mat
- Sloped beveled edges to reduce trip hazards

The Pebble Trax™ anti-fatigue floor mat offers comfort and ergonomic support in dry environments. The pebble-embossed rubber top provides non-directional traction, is easy to clean, and resists exposure to sparks in welding applications. The top surface is combined with a dense closed cell foam base using NoTrax® exclusive UniFusion™ technology. Pebble Trax™ comes in a 1/2" (480) or a full 1" (980) thickness that allows you to select your level of comfort.

APPLICATIONS: Assembly lines, lab areas, machine workstations, welding applications, and packaging areas — any work cells that are subjected to extreme traffic.



| Part Number | Thickness | Color | Size | Price |
|---------------|-----------|-------|----------|--------|
| S57480S0023BL | 1/2" | Black | 2' x 3' | 67.56 |
| S57480S0035BL | 1/2" | Black | 3' x 5' | 177.30 |
| S57480S0312BL | 1/2" | Black | 3' x 12' | 425.52 |
| S57980S0023BL | 1" | Black | 2' x 3' | 62.15 |
| S57980S0035BL | 1" | Black | 3' x 5' | 155.36 |
| S57980S0312BL | 1" | Black | 3' x 12' | 372.86 |

Also Available in rolls and cuts up to 4' wide, 75' length

Shipping, handling and other itemized charges may apply in addition to advertised prices.

np15

You'll find it with us at Airgas.com

Airgas®



DuPont™ Tyvek® 800 J

Tyvek® 800 J is a new limited-use Type 3* chemical protective garment from DuPont™ that combines resistance to pressurized jets of low-concentration, water-based, inorganic chemicals with protection, durability and freedom of movement thanks to its innovative Tyvek® 800 J Fabric Technology.

It has been designed for work in applications requiring chemical, liquid and/or oil protection, such as industrial cleaning, waste management, chemical redistribution and environmental remediation.



The Tyvek® 800 J garment provides:

- An effective barrier against many low-concentration, water-based, inorganic chemicals (even under pressure), greater than one micron hazardous particles, as well as oil repellency (Category III, Type 3)
- Durable barrier performance of Tyvek®
- Lightweight and soft fabric, water vapor permeable
- Bright over-taped seams, thumb loops, and chin flap for increased liquid protection
- Protection against biological hazards (according to EN 14126)
- Protection against radioactive contamination (EN 1073-2) up to Class 2**
- Protection against electrostatic discharge (antistatic according to EN 1149-5)

Call your Airgas® representative for more information!

**Additional taping of cuffs, ankles, hood and zipper flap required to achieve Type 3 liquid tightness. Chemical protection clothing, category III, Type 3-B, 4-B, 5-B and 6-B.*

*** Does not provide protection from ionizing radiation*

You'll find it with us at Airgas.com