

# Safety Data Sheet

Copyright, 2015, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document Group:
 07-6220-3
 Version Number:
 8.01

 Issue Date:
 05/26/15
 Supercedes Date:
 10/09/14

**Product identifier** 

3M FT-30 Qualitative Fit Test Kit, Bitter

**ID** Number(s):

70-0707-0964-0, HB-0043-2362-0, HB-0043-2363-8

Recommended use

Qualitative Fit Test Kit, Bitter

Supplier's details

**MANUFACTURER:** 3M

**DIVISION:** Personal Safety Division

ADDRESS: 3M Center, St. Paul, MN 55144-1000, USA

**Telephone:** 1-888-3M HELPS (1-888-364-3577)

**Emergency telephone number** 

1-800-364-3577 or (651) 737-6501 (24 hours)

This product is a kit or a multipart product which consists of multiple, independently packaged components. A Safety Data Sheet (SDS), Article Information Sheet (AIS), or Article Information Letter (AIL) for each of these components is included. Please do not separate the component documents from this cover page. The document numbers for components of this product are:

07-6198-1, 07-6218-7

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M

3M FT-30 Qualitative Fit Test Kit, Bitter 05/26/15

3M USA SDSs are available at www.3M.com



# **Safety Data Sheet**

Copyright, 2014, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document Group:
 07-6198-1
 Version Number:
 14.01

 Issue Date:
 04/22/14
 Supercedes Date:
 03/20/14

# **SECTION 1: Identification**

### 1.1. Product identifier

FT-31, Denatonium Benzoate Sensitivity Solution

### **Product Identification Numbers**

70-0707-0965-7

#### 1.2. Recommended use and restrictions on use

#### Recommended use

Sensitivity Test Solution.

# 1.3. Supplier's details

**MANUFACTURER:** 3M

**DIVISION:** Personal Safety Division

**ADDRESS:** 3M Center, St. Paul, MN 55144-1000, USA **Telephone:** 1-888-3M HELPS (1-888-364-3577)

## 1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

# **SECTION 2: Hazard identification**

### 2.1. Hazard classification

Not classified as hazardous according to OSHA Hazard Communication Standard, 29 CFR 1910.1200.

## 2.2. Label elements

## Signal word

Not applicable.

### **Symbols**

Not applicable.

### **Pictograms**

Not applicable.

# 2.3. Hazards not otherwise classified

None.

Page 1 of 8

# **SECTION 3: Composition/information on ingredients**

Ingredient	C.A.S. No.	% by Wt
WATER	7732-18-5	90 - 100 Trade Secret *
SODIUM CHLORIDE	7647-14-5	3 - 10 Trade Secret *
DENATONIUM BENZOATE	3734-33-6	0 - 1 Trade Secret *

<sup>\*</sup>The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### **Inhalation:**

Remove person to fresh air. If you feel unwell, get medical attention.

#### **Skin Contact:**

No need for first aid is anticipated.

### **Eye Contact:**

No need for first aid is anticipated.

### If Swallowed:

No need for first aid is anticipated.

# 4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1. Information on toxicological effects.

### 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

# **SECTION 5: Fire-fighting measures**

## 5.1. Suitable extinguishing media

Material will not burn. Non-combustible. Use a fire fighting agent suitable for surrounding fire.

### 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

### 5.3. Special protective actions for fire-fighters

No unusual fire or explosion hazards are anticipated.

# **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Observe precautions from other sections.

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Page 2 of 8

Clean up residue with water.

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

For industrial or professional use only. Do not eat, drink or smoke when using this product.

### 7.2. Conditions for safe storage including any incompatibilities

No special storage requirements.

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

# Occupational exposure limits

No occupational exposure limit values exist for any of the components listed in Section 3 of this SDS.

### 8.2. Exposure controls

## 8.2.1. Engineering controls

No engineering controls required.

## 8.2.2. Personal protective equipment (PPE)

### **Eye/face protection**

None required.

## Skin/hand protection

No chemical protective gloves are required.

### **Respiratory protection**

None required.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

**General Physical Form:** Liquid

Clear, odorless solution with a bitter taste. Freezing point = -4Odor, Color, Grade:

degrees Centigrade

**Odor threshold** No Data Available

pН Approximately 6.52 Units not avail. or not appl.

**Melting point** Not Applicable **Boiling Point**  $>=212 \, {}^{\circ}F$ Flash Point No flash point

Flammability (solid, gas) Not Applicable Flammable Limits(LEL) Not Applicable Flammable Limits(UEL) Not Applicable 18 mmHg [@ 20 °C] **Vapor Pressure** 

**Vapor Density** Not Applicable

Page 3 of 8

**Density** 1.034 g/ml

Specific Gravity 1.034 [Ref Std: WATER=1]

Solubility in Water Complete

**Solubility- non-water** No Data Available

Partition coefficient: n-octanol/ waterNo Data AvailableAutoignition temperatureNot ApplicableDecomposition temperatureNo Data Available

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

This material is considered to be non reactive under normal use conditions.

#### 10.2. Chemical stability

Stable.

# 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

#### 10.4. Conditions to avoid

None known.

# 10.5. Incompatible materials

None known.

## 10.6. Hazardous decomposition products

SubstanceConditionNone known.Not Specified

# **SECTION 11: Toxicological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

# 11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation:

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Page 4 of 8

#### **Skin Contact:**

Contact with the skin during product use is not expected to result in significant irritation.

# **Eye Contact:**

Contact with the eyes during product use is not expected to result in significant irritation.

## **Ingestion:**

No health effects are expected.

# **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

**Acute Toxicity** 

Name	Route	Species	Value
Overall product	Ingestion		No data available; calculated ATE > 5,000 mg/kg
SODIUM CHLORIDE	Dermal	Rabbit	LD50 > 10,000 mg/kg
SODIUM CHLORIDE	Inhalation-	Rat	LC50 > 10.5 mg/l
	Dust/Mist		
	(4 hours)		
SODIUM CHLORIDE	Ingestion	Rat	LD50 3,000 mg/kg
DENATONIUM BENZOATE	Inhalation-		LC50 estimated to be 1 - 5 mg/l
	Dust/Mist		
DENATONIUM BENZOATE	Dermal	Rat	LD50 > 2,000 mg/kg
DENATONIUM BENZOATE	Ingestion	Rat	LD50 584 mg/kg

ATE = acute toxicity estimate

## Skin Corrosion/Irritation

Name	Species	Value
DENATONIUM BENZOATE	Rabbit	Mild irritant

**Serious Eye Damage/Irritation** 

Name	Species	Value
DENATONIUM BENZOATE	Rabbit	Corrosive

# **Skin Sensitization**

Name	Species	Value
Overall product	Guinea	Not sensitizing
	pig	
DENATONIUM BENZOATE	Human	Some positive data exist, but the data are not
		sufficient for classification

**Respiratory Sensitization** 

Name	Species	Value
DENATONIUM BENZOATE	Human	Some positive data exist, but the data are not
		sufficient for classification

**Germ Cell Mutagenicity** 

Name	Route	Value
DENATONIUM BENZOATE	In Vitro	Not mutagenic
DENATONIUM BENZOATE	In vivo	Not mutagenic

Carcinogenicity

Name	Route	Species	Value
DENATONIUM BENZOATE	Ingestion	Rat	Not carcinogenic

# Reproductive Toxicity

Reproductive and/or Developmental Effects

Name Route Value S	Species	Test Result	Exposure
--------------------	---------	-------------	----------

					Duration
DENATONIUM BENZOATE	Ingestion	Not toxic to female reproduction	Rat	NOAEL 16	2 years
				mg/kg/day	
DENATONIUM BENZOATE	Ingestion	Not toxic to male reproduction	Rat	NOAEL 16	2 years
		_		mg/kg/day	

## Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration
DENATONIUM BENZOATE	Ingestion	endocrine system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 16 mg/kg/day	2 years
DENATONIUM BENZOATE	Ingestion	heart   bone, teeth, nails, and/or hair   hematopoietic system   liver   immune system   muscles   nervous system   eyes   kidney and/or bladder   respiratory system	All data are negative	Rat	NOAEL 16 mg/kg/day	2 years

**Aspiration Hazard** 

Name	Value

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

# **SECTION 12: Ecological information**

### **Ecotoxicological information**

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

### **Chemical fate information**

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

# **SECTION 13: Disposal considerations**

# 13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Product components have been assessed to be treatable in properly operating wastewater treatment systems (industrial, municipal, commercial) with a minimum of biological (aerobic) secondary treatment. Waste product may be directly discharged to wastewater treatment systems. Changes in the manner of which a product is used will require an evaluation to determine proper disposal. Empty and clean product containers may be disposed as non-hazardous waste. Consult your specific regulations and service providers to determine available options and requirements.

EPA Hazardous Waste Number (RCRA): Not regulated

# **SECTION 14: Transport Information**

For Transport Information, please visit http://3M.com/Transportinfo or call 1-800-364-3577 or 651-737-6501.

# **SECTION 15: Regulatory information**

### 15.1. US Federal Regulations

Contact 3M for more information.

### 311/312 Hazard Categories:

Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No Immediate Hazard - No Delayed Hazard - No

# 15.2. State Regulations

Contact 3M for more information.

### 15.3. Chemical Inventories

The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information.

The components of this product are in compliance with the new substance notification requirements of CEPA.

The components of this product are in compliance with the chemical notification requirements of TSCA.

Contact 3M for more information.

## 15.4. International Regulations

Contact 3M for more information.

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

# **SECTION 16: Other information**

## NFPA Hazard Classification

Health: 0 Flammability: 0 Instability: 0 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

**Document Group:** 07-6198-1 **Version Number:** 14.01 **Issue Date:** 04/22/14 **Supercedes Date:** 03/20/14

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable

for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M

3M USA SDSs are available at www.3M.com

Page 8 of 8



# **Safety Data Sheet**

Copyright, 2014, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

**Document Group:** 07-6218-7 14.01 **Version Number: Issue Date:** 04/22/14 03/18/14 **Supercedes Date:** 

# **SECTION 1: Identification**

### 1.1. Product identifier

FT-32, Denatonium Benzoate Fit Test Solution

### **Product Identification Numbers**

70-0707-0966-5

#### 1.2. Recommended use and restrictions on use

#### Recommended use

Fit Test Solution.

# 1.3. Supplier's details

**MANUFACTURER:** 

**DIVISION:** Personal Safety Division

**ADDRESS:** 3M Center, St. Paul, MN 55144-1000, USA **Telephone:** 1-888-3M HELPS (1-888-364-3577)

## 1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

# **SECTION 2: Hazard identification**

### 2.1. Hazard classification

Not classified as hazardous according to OSHA Hazard Communication Standard, 29 CFR 1910.1200.

## 2.2. Label elements

## Signal word

Not applicable.

## **Symbols**

Not applicable.

### **Pictograms**

Not applicable.

# 2.3. Hazards not otherwise classified

None.

# **SECTION 3: Composition/information on ingredients**

Ingredient	C.A.S. No.	% by Wt
WATER	7732-18-5	90 - 100 Trade Secret *
SODIUM CHLORIDE	7647-14-5	3 - 10 Trade Secret *
DENATONIUM BENZOATE	3734-33-6	0 - 1 Trade Secret *

<sup>\*</sup>The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### **Inhalation:**

Remove person to fresh air. If you feel unwell, get medical attention.

#### **Skin Contact:**

No need for first aid is anticipated.

### **Eye Contact:**

No need for first aid is anticipated.

### If Swallowed:

No need for first aid is anticipated.

# 4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1. Information on toxicological effects.

### 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

# **SECTION 5: Fire-fighting measures**

## 5.1. Suitable extinguishing media

Material will not burn. Non-combustible. Use a fire fighting agent suitable for surrounding fire.

### 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

### 5.3. Special protective actions for fire-fighters

No unusual fire or explosion hazards are anticipated.

# **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Observe precautions from other sections.

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Page 2 of 8

Clean up residue with water.

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

For industrial or professional use only. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product. Wash thoroughly after handling.

## 7.2. Conditions for safe storage including any incompatibilities

No special storage requirements.

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

#### Occupational exposure limits

No occupational exposure limit values exist for any of the components listed in Section 3 of this SDS.

### 8.2. Exposure controls

### 8.2.1. Engineering controls

No engineering controls required.

### 8.2.2. Personal protective equipment (PPE)

### Eye/face protection

None required.

#### **Skin/hand protection**

No chemical protective gloves are required.

### **Respiratory protection**

**Odor threshold** 

None required.

# SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

**General Physical Form:** Liquid

Odor, Color, Grade: Clear, odorless solution with a bitter taste. Freezing point = -4

> degrees Centigrade. No Data Available

Approximately 6.52 Units not avail. or not appl. pН

**Melting point** Not Applicable **Boiling Point**  $>=212 \, {}^{\circ}F$ **Flash Point** No flash point **Evaporation rate** Not Applicable Flammability (solid, gas) Not Applicable Not Applicable Flammable Limits(LEL) Flammable Limits(UEL) Not Applicable 18 mmHg [@ 20 °C] **Vapor Pressure** 

**Vapor Density** Not Applicable

Page 3 of 8

**Density** 1.034 g/ml

**Specific Gravity** 1.034 [*Ref Std:* WATER=1]

Solubility in Water Complete

Solubility- non-water No Data Available

Partition coefficient: n-octanol/ water No Data Available **Autoignition temperature** Not Applicable **Decomposition temperature** No Data Available Not Applicable Viscosity Not Applicable **Volatile Organic Compounds** Percent volatile Not Applicable **VOC Less H2O & Exempt Solvents** Not Applicable

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

This material is considered to be non reactive under normal use conditions.

### 10.2. Chemical stability

Stable.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

#### 10.4. Conditions to avoid

None known.

## 10.5. Incompatible materials

None known.

## 10.6. Hazardous decomposition products

**Substance** Condition Not Specified None known.

# **SECTION 11: Toxicological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

### 11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

**Inhalation:** 

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

### **Skin Contact:**

Contact with the skin during product use is not expected to result in significant irritation.

## **Eye Contact:**

Contact with the eyes during product use is not expected to result in significant irritation.

## **Ingestion:**

No health effects are expected.

### **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

### **Acute Toxicity**

Name	Route	Species	Value
Overall product	Ingestion		No data available; calculated ATE > 5,000 mg/kg
SODIUM CHLORIDE	Dermal	Rabbit	LD50 > 10,000 mg/kg
SODIUM CHLORIDE	Inhalation-	Rat	LC50 > 10.5 mg/l
	Dust/Mist		
	(4 hours)		
SODIUM CHLORIDE	Ingestion	Rat	LD50 3,000 mg/kg
DENATONIUM BENZOATE	Inhalation-		LC50 estimated to be 1 - 5 mg/l
	Dust/Mist		
DENATONIUM BENZOATE	Dermal	Rat	LD50 > 2,000 mg/kg
DENATONIUM BENZOATE	Ingestion	Rat	LD50 584 mg/kg

ATE = acute toxicity estimate

### Skin Corrosion/Irritation

Name	Species	Value
DENATONIUM BENZOATE	Rabbit	Mild irritant

# **Serious Eye Damage/Irritation**

Name	Species	Value
Overall product	Rabbit	No significant irritation
DENATONIUM BENZOATE	Rabbit	Corrosive

# **Skin Sensitization**

Name	Species	Value
Overall product	Guinea	Not sensitizing
	pig	
DENATONIUM BENZOATE	Human	Some positive data exist, but the data are not
		sufficient for classification

**Respiratory Sensitization** 

Name	Species	Value
DENATONIUM BENZOATE	NIUM BENZOATE Human Some positive data exist, but the data are no	
		sufficient for classification

**Germ Cell Mutagenicity** 

Oct in Cen Widtagementy					
Name	Route	Value			
DENATONIUM BENZOATE	In Vitro	Not mutagenic			
DENATONIUM BENZOATE	In vivo	Not mutagenic			

Carcinogenicity

eur emogement j			
Name	Route	Species	Value
DENATONIUM BENZOATE	Ingestion	Rat	Not carcinogenic

### **Reproductive Toxicity**

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test Result	Exposure Duration
DENATONIUM BENZOATE	Ingestion	Not toxic to female reproduction	Rat	NOAEL 16 mg/kg/day	2 years
DENATONIUM BENZOATE	Ingestion	Not toxic to male reproduction	Rat	NOAEL 16 mg/kg/day	2 years

# Target Organ(s)

Specific Target Organ Toxicity - single exposure

Specific runger organ	promise ranges organizations of single emposare								
Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration			
Overall product	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 0.016 mg/l	4 hours			

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration
DENATONIUM BENZOATE	Ingestion	endocrine system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 16 mg/kg/day	2 years
DENATONIUM BENZOATE	Ingestion	heart   bone, teeth, nails, and/or hair   hematopoietic system   liver   immune system   muscles   nervous system   eyes   kidney and/or bladder   respiratory system	All data are negative	Rat	NOAEL 16 mg/kg/day	2 years

Aspiration Hazard

Aspiration Hazarti	
Name	Value

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

# **SECTION 12: Ecological information**

## **Ecotoxicological information**

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

#### **Chemical fate information**

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

# **SECTION 13: Disposal considerations**

## 13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Product components have been assessed to be treatable in properly operating wastewater treatment systems (industrial,

Page 6 of 8

municipal, commercial) with a minimum of biological (aerobic) secondary treatment. Waste product may be directly discharged to wastewater treatment systems. Changes in the manner of which a product is used will require an evaluation to determine proper disposal. Empty and clean product containers may be disposed as non-hazardous waste. Consult your specific regulations and service providers to determine available options and requirements.

EPA Hazardous Waste Number (RCRA): Not regulated

# **SECTION 14: Transport Information**

For Transport Information, please visit <a href="http://3M.com/Transportinfo">http://3M.com/Transportinfo</a> or call 1-800-364-3577 or 651-737-6501.

# **SECTION 15: Regulatory information**

# 15.1. US Federal Regulations

Contact 3M for more information.

### 311/312 Hazard Categories:

Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No Immediate Hazard - No Delayed Hazard - No

## 15.2. State Regulations

Contact 3M for more information.

## 15.3. Chemical Inventories

The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information.

The components of this product are in compliance with the new substance notification requirements of CEPA.

The components of this product are in compliance with the chemical notification requirements of TSCA.

Contact 3M for more information.

# 15.4. International Regulations

Contact 3M for more information.

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

# **SECTION 16: Other information**

### **NFPA Hazard Classification**

Health: 0 Flammability: 0 Instability: 0 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

**Document Group:** 07-6218-7 **Version Number:** 14.01 04/22/14 03/18/14 **Issue Date: Supercedes Date:** 

Page 7 of 8

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M

3M USA SDSs are available at www.3M.com

Page 8 of 8